

YOUR SMART LIFT SOLUTIONS

Add value to your property,
lift your lifestyle with

ARESFORTI
HOME LIFT SOLUTIONS



ARESFORTI
ELEVATOR



Headquarter

📍 Aydınli Sb Mah. Matras Cad. Kopuzlar Binası - No: 3

İç Kapı No: B03 Tuzla / İstanbul

☎ +90 332 821 10 50 | 📞 +90 542 328 28 99

🌐 www.aresforti.com | ✉ sales@aresforti.com





Patent



**TÜRK
PATENT**
TÜRK İPTEKİ VE MARKA KURUMU

FAYDALI MODEL BELGESİ

No: TR 2021 010557 Y

Buluş Başlığı
Ev Tipi Asansörlerde Yenilik

Faydalı Model Sahibi
**ARESFORTİ ELEVATOR ŞANAYİ VE TİCARET
LIMITED ŞİRKETİ**

Bu belge, 6769 sayılı Sınai Mülkiyet Kanunu kapsamında 28/06/2021 tarihinden itibaren 10 yıl süre ile korunmak üzere 21/10/2022 tarihinde verilmiştir.


Cemil BAŞPINAR
Kurum Başkanı

Our Portfolio



Certificate



EC-TYPE EXAMINATION CERTIFICATE
Under the Machinery Directive 2006/42/EC, Approval Number 2737

Certificate No: 21-MED-TEC-085-TAT-2021-0302

Applicant: ARESFORTİ ELEVATOR SAN VE TİC LTD. ŞTİ.
Ayvazlı Sb. Mah. Yelmen Cad. No:5, Tuzla/İSTANBUL

Manufacturer: ARESFORTİ ELEVATOR SAN VE TİC LTD. ŞTİ.
Ayvazlı Sb. Mah. Yelmen Cad. No:5, Tuzla/İSTANBUL

Designation of the Product: HOME LIFT

Type/Model(s): #Circle - 1100, Circular - 1300, Circular - 1500, #
#Square - 1500, Design - 1500, Design - 1400, Design - 1400 #
#Square - 1, Square - 2, Square - 3, Square - 4 #

Trademark/Brand: ARESFORTİ

Standard(s): 2006/42/EC Machinery Directive
Certification Basis: EN 81-41:2013

The Conformity Assessment is issued at customer request according to Machinery Directive 2006/42/EC article 17.2.4. The issued equipment is deemed to comply with the harmonized standards and Annex I, the Essential Health and Safety Requirements of the directive. It refers only to the particular sample and its technical documentation submitted for inspection.

Technical File No: 21-MED-TEC-085-TAT-01
MT' Document No: MD-2737-2-1000003
Assessor ID No: T21-MED-001
Date/Place of Assessment: 30.09.2021
Issue Date: 28.10.2021
Expiry Date: 28.10.2026

TUV AUSTRIA TÜRK
Delegasyonu Egitim ve Gözetim
Personeli Ltd. Şti.
Approved By
Ali Çelebi (Signature)

CE After preparation of the necessary technical documentation as well as the declaration of conformity, the required CE marking can be affixed to the product. Other relevant measures have to be observed.

2737 This Certificate of Conformity has been granted to the applicant based on the results of testing performed by the applicant/manufacturer or an accredited laboratory and the completed version of the test report by TÜV AUSTRIA. TÜRK. Business is the relevant certificate basis or other change of the sample, material, components or properties may require the repetition of all or some of the qualification tests in order for the test report and therefore the associated certificate to remain valid.

Ministry of Industry and Technology
TUV AUSTRIA TÜRK
Delegasyonu Egitim ve Gözetim
Personeli Ltd. Şti.
Approved By
Ali Çelebi (Signature)

Test Report



LVT Test Laboratuvarları Ltd. Şti.
www.lvt.com.tr
Sarıyer Modern Kurumlar Sanayi Sitesi-4. Cadde No:9
Kadıköy / İSTANBUL
Tel: 0 212 815 13 26-38 Faks: 0 212 815 13 37

DENEY RAPORU
Test Report

834

Müşteri: ARESFORTİ ELEVATOR SANAYİ VE TİCARET LTD. ŞTİ.
Adres: AYVALI SB MAH. YELMEN CAD. NO:5 TUZLA, TÜRKİYE
İletilecek: ARESFORTİ ELEVATOR SANAYİ VE TİCARET LTD. ŞTİ.
Deneysel Numaralar: Circular VİBAR-1500
Marka: ARESFORTİ
Deneysel Metotlar: TS EN 12016:2014, EN 12016:2015
TS EN 12016:2020, EN 12016:2020
Deneysel Tarih: 24.09.2021
Testin Başlatma Tarihi: 24
Deneyin Tarihi: 22.10.2021

Deney ve / veya deney sonuçları, gerektirdiği diğer tekniksel bilgi dahil olmak üzere deney, deney raporları ve diğer ilgili belge ve belgeler için ayrı ayrı belirtilmiştir.

Mühür: LVT
Deneysel Sorumlusu: Tuna DEMİR
Laboratuvar Yetkilisi: Gökçe GÖKSEL
Deneyin Başlatma Tarihi: 22.10.2021

Her rapor, Laboratuvarımızın gültü ve etiketleri ile birlikte sunulmaktadır.
Raporlar ve etiketler ayrıca ayrı ayrı da sunulabilir.
Bu raporlar ve etiketler sadece referans amaçlıdır ve bu raporların ve etiketlerin kullanılması, bu raporların ve etiketlerin kullanılmasıyla ilgili olarak herhangi bir sorumluluk kabul edilmez.
Herhangi bir soruna ilişkin olarak lütfen bizimle iletişime geçiniz.

About Aresforti

About Us

Aresforti is a dynamic elevator company, based in Istanbul. As experts in our business, we have been providing the highest standard of products and safety in the elevator industry since 2012. As a family-run company, our aim is to treat you as a member of our family. Our team strives to make you feel comfortable throughout the entire production process so that we can deliver the 'look and feel you desire in an efficient and efficient manner you want, in an efficient and safe manner.

Our Vision

We make people's journeys safe, convenient and reliable, in taller and smarter buildings.

Our Mission

Beautiful designs, high-quality work, top-of-the-line materials, and innovative technologies. The industry is constantly changing, so we're always updating our approach and evolving our techniques to keep up with trends. We stay on top of the latest crazes and new materials, so we can give you unique ideas when designing your elevator. We guarantee that the design we create for your elevators, whether on the inside or out, will fit the aesthetic, feeling, and overall vibe of your business or property.

Our Market

We strive to serve the national and international market while keeping our finger on the pulse of industry, design trends and manufacturing innovations. Contact us to find out how Aresforti Elevators can support your next elevator project.

Why Aresforti Homelift

Not a luxury option, but a **smart choice!**

Home elevators are becoming increasingly popular. Many architects are incorporating them into their projects for all multi-storey homes. Life is changing and our lifestyles are evolving every day. The population has grown recently and people need to build upwards because they can no longer afford building land. Despite this, many people think that an elevator is a luxury option but we believe that the concept of a home elevator should be affordable **for everyone.**

Aresforti Elevator is available for all types of properties, **at anytime, anywhere** in the world, because it's simply possible!

For example, our home elevator concept allows you to create a new access from your garages to the upper floor, to gently lift your furniture or heavy objects between floors, to safely move around your home with your small newborn baby, to make the lives of our disabled family members easier and happier, to offer your customers a new and unique living experience while they store in your store or stay in your hotel, and so on.

Think about it: A home lift is no different than any other heavy appliance in your home, such as an air conditioner or even the washing machine. It's there to make our lives smarter and more comfortable. Also remember that home elevators can increase the value of your property and improve its position on the market. So remember that this is not a luxury option, but a wise decision and a **long-term investment!**



Compliance & Safety

When you work with Aresforti, you can sleep soundly at night knowing that safety and compliance are at the forefront of everything we do, from start to finish. We want your elevator to look incredible, but we will not sacrifice safety for design. We always work with high-quality materials and highly skilled employees to create stunning elevator designs that pass inspections with flying colors.

8 LAYERS OF SAFETY

Why you should fully trust Aresforti technology ?



Photocell Sensors 1

This high-quality light sensor ensures that the elevator stops immediately if passengers or objects approach the exit of the lift while in use.

2 Mechanical Guide Rails Brakes

Even if all the cables were to break, the elevator would not fall to the bottom floor thanks to the passive, automatic braking system. These brakes engage as soon as the elevator starts to fall faster than programmed.

3 Overload Sensor

If the car is overloaded, the elevator doesn't move and gives a signal on the COP.

4 Limit & Emergency Stop Switches

These switches ensure that the car is stopped when the elevator reaches or passes its final destination, or in case of an emergency.

5 Machine Handbrake

In an emergency, this system allows the technician to free the cab and drive it down to the nearest floor.

6 Magnetic Locking Switch

To ensure that the elevator landing door can only be opened when the car is available and the elevator is not in use.

7 Speed Limiter

This device is specially designed to stop the elevator if it exceeds the prescribed speed.

8 Rescuing System UPS with Support

This is a battery backup system that provides an emergency power supply if the regular power source fails or the voltage drops to an unacceptable level. In this case, battery operation is switched on automatically.

What Makes Us Unique?

Smart Civil Work

This elevator is an ideal solution to be installed on the outside of the building, in the lobby, or in a place where it can enhance the appearance and the overall 'look&feel' of the building. We introduce you to an electric home elevator that requires no retaining wall, no pit and no hydraulic vacuum systems. Simply plug it into your domestic electrical socket and start moving up & down!

Minimal Maintenance

This is an electrically self-supporting elevator. No use of oil, vacuum systems or counterweights. This means less maintenance and saves a lot of extra costs and time during the installation process.

Plug & Go

These Elevators come as a semi-assembled unit just install, plug and go. No surprises!

Self Supported Structure

Aresforti home-lift is a freestanding elevator that requires no support beams, columns or walls. All you need is the space!

Panoramic View

The unique glass viewing capsule allows passengers to have visual contact with their surroundings even when the lift is in motion.

Green Elevator

This elevator is made of eco-friendly raw materials that are harmless if damaged. It requires the least amount of installation and maintenance and consumes less energy in use than other conventional elevators.

No Noise

When you use Aresforti Homelift, you can rely on a smooth, noiseless system.

Worldwide Delivery



TUV & CE CERTIFIED

NO MACHINE ROOM

SINGLE OR THREE PHASE POWER SUPPLY

NO PIT

SOFT START & STOP


ITALIAN MACHINE

NO OIL / LUBRICATION REQUIRED

COMPLIES TO EUROPEAN STANDARDS OF SAFETY

Our Product







MEET THE AUTO CIRCULAR




TECHNICAL DIMENSIONS



CVLA - 1780

OUTER DIAMETER : 1780 MM
CABIN DIAMETER : 1220 MM
CABIN HEIGHT : 2200 MM
DOOR SIZE : 700X2000 MM
CAPACITY : 350 KG
MACHINE POWER : 6,8 KW
CONTROLLER : 7,5 KW; 3phase




700mm Door



CVLA - 1950

OUTER DIAMETER : 1950 MM
CABIN DIAMETER : 1390 MM
CABIN HEIGHT : 2200 MM
DOOR SIZE : 800X2000 MM
CAPACITY : 400 KG
MACHINE POWER : 8,1 KW
CONTROLLER : 11 KW; 3phase




800mm Door



CVLA - 2100

OUTER DIAMETER : 2100 MM
CABIN DIAMETER : 1540 MM
CABIN HEIGHT : 2200 MM
DOOR SIZE : 900x2000 MM
CAPACITY : 450 KG
MACHINE POWER : 8,1 KW
CONTROLLER : 11 KW; 3phase



900mm Door



CABIN AND STRUCTURE CLADDING : 4 MM SOLID Polycarbonate OR 5X5 MM LAMINATED GLASS
DOOR CLADDING : FRAMED 4 MM SOLID Polycarbonate OR 5X5 MM LAMINATED GLASS




MEET THE SEMI CIRCULAR



TECHNICAL DIMENSIONS


CVLA - 1900

STRUCTURE DIMENTION	: 1900 X 1600 MM
CABIN DIMENTION	: 1500 X 1090 MM
CABIN HIGH	: 2200 MM
DOOR DIMENTION	: 700 x 2.000 MM SLIDE OPPENING
LOAD CAPACITY	: 400 KG
DRIVER	: 6,8 KW
POWER SUPPLY	: 3 Phase 380 Vac / 50HZ-60HZ
DOOR COVERING	: Framed Glass 4 X 4 MM Laminated



CVLA - 2000

STRUCTURE DIMENTION	: 2000 X 1660 MM
CABIN DIMENTION	: 1600 X 1150 MM
CABIN HIGH	: 2200 MM
DOOR DIMENTION	: 800 x 2.000 MM SLIDE OPPENING
LOAD CAPACITY	: 450 KG
DRIVER	: 6,8 KW
POWER SUPPLY	: 3 Phase 380 Vac / 50HZ
DOOR COVERING	: Framed Glass 4 X 4 MM Laminated



CABIN AND STRUCTURE CLADDING :
SOLID 4 MM
Polycarbonate

PIT
250 MM

OVERHEAD
3300 MM

SPEED
0,15 M/S

FULL
AUTOMATIC
DOOR






MEET THE ACIRCULAR


CVL - 1100

OUTER DIMENTION : Ø 1100 MM
CABIN DIMENTION : Ø 800 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 600X2000 MM
LOAD CAPACITY : 200 KG
DRIVER : 3,7 KW
POWER SUPPLY : 1 Phase 220 Vac / 50HZ-60HZ
 : 3 Phase 380 Vac / 50HZ-60HZ




CVL - 1300

OUTER DIMENTION : Ø 1300 MM
CABIN DIMENTION : Ø 1000 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 600X2000 MM
LOAD CAPACITY : 300 KG
DRIVER : 3,7 KW
POWER SUPPLY : 3 Phase 380 Vac / 50HZ-60HZ




TECHNICAL DIMENSIONS



CVL - 1500

OUTER DIMENTION : Ø 1500 MM
CABIN DIMENTION : Ø 1200 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 750x 2.000 MM
LOAD CAPACITY : 400KG
DRIVER : 5,5KW
POWER SUPPLY : 3 Phase 380 Vac / 50HZ-60HZ




CVL - 1700

OUTER DIMENTION : Ø 1700 MM
CABIN DIMENTION : Ø 1400 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 900 x 2.000 MM
LOAD CAPACITY : 500KG
DRIVER : 6,8KW
POWER SUPPLY : 3 Phase 380 Vac / 50HZ-60HZ

Multiple Door Access

The flexible design of this elevator allows us to install the entrance or the exits from different sides on each floor.



CABIN AND STRUCTURE CLADDING :
 4 mm
 SOLID Polycarbonate


DOOR CLADDING :
 FRAMED
 4 mm
 SOLID Polycarbonate



MEET THE OCTAGON


OVL - 1000

OUTER DIMENTION : 1000X1000 MM
CABIN DIMENTION : 700X700 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 600X2000 MM
LOAD CAPACITY : 175 KG
DRIVER : 3,7 KW
POWER SUPPLY : 1 Phase 220 Vac / 50HZ-60HZ
: 3 Phase 380 Vac / 50HZ-60HZ




OVL - 1200

OUTER DIMENTION : 1200X1200 MM
CABIN DIMENTION : 900X900 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 700X2000 MM
LOAD CAPACITY : 250 KG
DRIVER : 3,7 KW
POWER SUPPLY : 1 Phase 220 Vac / 50HZ-60HZ
: 3 Phase 380 Vac / 50HZ-60HZ




TECHNICAL DIMENSIONS



OVL - 1400

OUTER DIMENTION : 1400X1400 MM
CABIN DIMENTION : 1100X1100 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 900x 2.000 MM
LOAD CAPACITY : 400KG
DRIVER : 5,5KW
POWER SUPPLY : 3 Phase 380 Vac/ 50HZ-60HZ




OVL - 1600

OUTER DIMENTION : 1600X1600 MM
CABIN DIMENTION : 1300 x 1300 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 1000 x 2.000 MM
LOAD CAPACITY : 500KG
DRIVER : 6,8KW
POWER SUPPLY : 3 Phase 380 Vac / 50HZ-60HZ

Multiple Door Access

The flexible design of this elevator allows us to install the entrance or the exits from different sides on each floor.



CABIN AND STRUCTURE CLADDING :

GLASS
 4X4MM
 LAMINATED

DOOR CLADDING :
 FRAMED GLASS
 4X4MM
 LAMINATED




MEET THE SQUARE




SVL - 1300

OUTER DIMENTION : 1300X1300 MM
CABIN DIMENTION : 1000X1000 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 800X2000 MM
LOAD CAPACITY : 250 KG
DRIVER : 3,7 KW
POWER SUPPLY : 1 Phase 220 Vac / 50HZ-60HZ
 : 3 Phase 380 Vac / 50HZ-60HZ



SVL - 1400

OUTER DIMENTION : 1400X1400 MM
CABIN DIMENTION : 1100X1100 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 900X2000 MM
LOAD CAPACITY : 300 KG
DRIVER : 5,5 KW
POWER SUPPLY : 3 Phase 380 Vac / 50HZ-60HZ



“
PIT
 120 MM
 “


“
OVERHEAD
 2800 MM
 “

“
SPEED
 0,15 M/S
 “

“
MANUAL
 OR
 SEMI
 AUTOMATIC
 DOOR
 “




TECHNICAL DIMENSIONS




SVL - 1500

OUTER DIMENTION : 1500X1500 MM
CABIN DIMENTION : 1200X1200 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 1000X 2.000 MM
LOAD CAPACITY : 400KG
DRIVER : 5,5KW
POWER SUPPLY : 3 Phase 380 Vac / 50HZ



SVL - 1600

OUTER DIMENTION : 1600X1600 MM
CABIN DIMENTION : 1300 x 1300 MM
CABIN HIGH : 2000 MM
DOOR DIMENTION : 1000 x 2.000 MM
LOAD CAPACITY : 500KG
DRIVER : 6,8KW
POWER SUPPLY : 3 Phase 380 Vac/ 50HZ



CABIN AND STRUCTURE CLADDING :


GLASS
 4X4MM
 LAMINATED

DOOR CLADDING :

FRAMED GLASS
 4X4MM
 LAMINATED

Multiple Door Access

The flexible design of this elevator allows us to install the entrance or the exits from different sides on each floor.



Single Entrance

Opposite Entrance




MEET THE AUTO SQUARE




SVLA - 1500

STRUCTURE DIMENTION : 1500 X 1500 MM
CABIN DIMENTION : 1150 X 950 MM
CABIN HIGH : 2200 MM
DOOR DIMENTION : 700 x 2.000 MM SLIDE OPENING
LOAD CAPACITY : 280 KG
DRIVER : 5,5 KW
POWER SUPPLY : 3 Phase 380 Vac / 50HZ-60HZ
DOOR COVERING : Framed Glass 4 X 4 MM Laminated





SVLA - 1600


STRUCTURE DIMENTION : 1600 X 1600 MM
CABIN DIMENTION : 1250 X 1050 MM
CABIN HIGH : 2200 MM
DOOR DIMENTION : 800 x 2.000 MM SLIDE OPENING
LOAD CAPACITY : 325 KG
DRIVER : 5,5 KW
POWER SUPPLY : 3 Phase 380 Vac / 50HZ-60HZ
DOOR COVERING : Framed Glass 4 X 4 MM Laminated



“ PIT 250 MM “	“ OVERHEAD 3200 MM “	“ SPEED 0,15 M/S “	“ FULL AUTOMATIC DOOR “
-------------------------	-------------------------------	-----------------------------	-------------------------------------




TECHNICAL DIMENSIONS



SVLA - 1700

STRUCTURE DIMENTION	: 1700 X 1700 MM
CABIN DIMENTION	: 1200 X 1200 MM
CABIN HIGH	: 2200 MM
DOOR DIMENTION	: 700 x 2.000 MM CENTER OPENING
Load Capacity	: 360 KG
DRIVER	: 6,8 KW
POWER SUPPLY	: 3 Phase 380 Vac / 50HZ-60HZ
DOOR COVERING	: Framed Glass 4 X 4 MM Laminated



SVLA - 1800

STRUCTURE DIMENTION	: 1800 X 1800 MM
CABIN DIMENTION	: 1300 X 1300 MM
CABIN HIGH	: 2200 MM
DOOR DIMENTION	: 800 x 2.000 MM CENTER OPENING
LOAD CAPACITY	: 450 KG
DRIVER	: 6,8 KW
POWER SUPPLY	: 3 Phase 380 Vac / 50HZ-60HZ
DOOR COVERING	: Framed Glass 4 X 4 MM Laminated

CABIN AND STRUCTURE COVERING : GLASS 4X4MM LAMINATED



Ceiling And Floor Options

Ceiling and floor types in different colors and textures



C 1918




C 1922



C 1303



C 1440



C 1920



C 1439



C 1921



C 1454



C 1407



C 1831



C 1489



C 1313



C 1447



C 1843



C 1841



C 1641




Glass and Acrylic Glass Options



Painted Steel



Frosted Glass



Clear Glass



Fame Black Glass



Painted Black Steel

**YOU CAN USE
IT INSIDE
CONCRETE
SHAFT
TOO !**



Concrete Shaft



Clear Acrylic



Black Acrylic



Color Options



At Aresforti Elevators, we offer a wide range of color options to help you choose 'Look & Feel' that best suits your building's décor.

Standard Options

Our ESP painting method is reflected in a glossy finish, a flexible and durable coating that is less prone to chipping or peeling. All materials used are suitable for interior and exterior use and contain no VOCs.



MC 835



MG K47



MS 761



RAL MAT 1023



RAL MAT 3005



RAL MAT 5005



RAL MAT 6005



TEX 01019



TEX 7032



TEX 7042



TEX 08014



TEX 9005



TEX 9010




TEX 9016

Stainless Steel Options

Alternatively, we also offer stainless steel covers in various colors and designs.




Mirror
Ti-Gold



Mirror
Ti-Black



Mirror



Mirror
Ti-Rose



Mirror
Ti-Bronze



Hairline





AF-Hairline
Ti-Gold



Hairline
Ti-rose




Referance



General Specifications

Maximum Travel	: 14 MT
Maximum Levels	: 5 Stops / 17.1 MT
Installation Place	: Inside – Outside
Drive Train	: Winding Drum Machine with Encoder (Made in Italy)
Machine Control	: Preprogrammed variable frequency drive (Made in Turkey)
Rope	: 8 mm standard: Turkish quality, on request: German quality.
Transmission	: Ultra-low vibration, 3-stage, right-angle, helical-bevel drive.
Noise Level	: 54db ventilator OFF – 56db with ventilator ON.
Encoder	: FNC 50 H(*EC)
Cabin Ceiling	: LED Spot Light – Spot Light
Cabin Operating Panel	: Intercom – Alarm – Emergency Stop Button (GENEMEK brand made in Turkey)
Overload Indication	: Built in on COP
Cabin Flooring	: Pvc – Wood
Cop	: Intercom – alarm – fan – emergency stop button (COP–LOP made in Turkey)
Cabinet Ceiling	: Etched steel or wood with spot light.
Shaft Construction	: Profil
Door interlocks	: Italian brand – (Made in Italy)

Customization



Adaptability

The technical simplicity of this product makes this a highly adaptable elevator and helps you to make full use of the space and height of your property. This elevator can be installed without additional reinforcements or structural changes to the building. This makes the elevator a highly adaptable product for new or even old homes.




Flexibility

We have made every effort to ensure the full flexibility of this elevator and to ensure that a G+1 elevator can be converted into a G+2 or G+3 elevator in the future. If necessary, the entire elevator can be completely dismantled and moved to a new location inside or outside the building or even to a new property.



Return to Home

The technology of this elevator makes it possible to place the elevator on any desired floor. Thanks to the built-in electronic time control system, you can easily choose where you want your elevator to land when it's not in use.





Order Form



REFERENCE :
OFFER ID :
DATE :

COMPANY NAME :
COUNTRY :
PHONE :
MAIL :

MODEL	:	<input type="checkbox"/> OCTAGON	<input type="checkbox"/> SQUARE	<input type="checkbox"/> AUTO SQUARE	<input type="checkbox"/> CIRCULAR	<input type="checkbox"/> SEMI CIRCULAR
		<input type="checkbox"/> OVL-1000 <input type="checkbox"/> OVL-1200 <input type="checkbox"/> OVL-1400 <input type="checkbox"/> OVL-1600	<input type="checkbox"/> SVL-1300 <input type="checkbox"/> SVL-1400 <input type="checkbox"/> SVL-1500 <input type="checkbox"/> SVL-1600	<input type="checkbox"/> SVLA-1500 <input type="checkbox"/> SVLA-1600 <input type="checkbox"/> SVLA-1700 <input type="checkbox"/> SVLA-1800	<input type="checkbox"/> CVL-1100 <input type="checkbox"/> CVL-1300 <input type="checkbox"/> CVL-1500 <input type="checkbox"/> CVL-1700	<input type="checkbox"/> CVLA-1900 <input type="checkbox"/> CVLA-2000
PIT	:	<input type="checkbox"/> 120 MM <input type="checkbox"/> NO PIT	<input type="checkbox"/> 120 MM <input type="checkbox"/> NO PIT	<input type="checkbox"/> 250 MM <input type="checkbox"/> NO PIT	<input type="checkbox"/> 120 MM <input type="checkbox"/> NO PIT	<input type="checkbox"/> 250 MM <input type="checkbox"/> NO PIT
DOOR	:	<input type="checkbox"/> MANUAL <input type="checkbox"/> SEMI AUTOMATIC	<input type="checkbox"/> MANUAL <input type="checkbox"/> SEMI AUTOMATIC	<input type="checkbox"/> FULL AUTOMATIC	<input type="checkbox"/> MANUAL <input type="checkbox"/> SEMI AUTOMATIC	<input type="checkbox"/> FULL AUTOMATIC
STRUCTURE COVERING	:	<input type="checkbox"/> Clear Glass <input type="checkbox"/> Fume Black Glass <input type="checkbox"/> Painted Glass <input type="checkbox"/> Painted Sheet Code : ____			<input type="checkbox"/> Dark Acrylic <input type="checkbox"/> Clear Acrylic ____	
CABIN COVERING	:	<input type="checkbox"/> Clear Glass <input type="checkbox"/> Painted Glass <input type="checkbox"/> S. Steel <input type="checkbox"/> Sheet Metal Code : ____			<input type="checkbox"/> Dark Acrylic <input type="checkbox"/> Clear Acrylic ____	
ENTRANCE	:	<input type="checkbox"/> SINGLE <input type="checkbox"/> OPPOSITE <input type="checkbox"/> THREE WAY " ONLY IN OCTAGON & CIRCULAR AVAILABLE "				
POWER	:	<input type="checkbox"/> 1 PHASE 220 VAC <input type="checkbox"/> 3 PHASE 380 VAC				
STRUCTURE CLADDING	:	<input type="checkbox"/> EPOXY PAINTED RAL CODE : _____ <input type="checkbox"/> S.STEEL CODE : _____				
CABIN CLADDING	:	<input type="checkbox"/> Epoxy Ral Code : _____ <input type="checkbox"/> S. STEEL CODE : _____				
CEILING OF CABINET	:	<input type="checkbox"/> S. Steel With Spot Light <input type="checkbox"/> Wood Pvc With Spot Light <input type="checkbox"/> Painted Sheet With Spot Light				
FLOOR OF CABINET	:	<input type="checkbox"/> Solid Wooden Code <input type="checkbox"/> Pvc Flooring Code				
FLOOR HIGH	:	<input type="checkbox"/> 1 Floor ____ mm <input type="checkbox"/> 2 Floor ____ mm <input type="checkbox"/> 3 Floor ____ mm <input type="checkbox"/> 4 Floor ____ mm <input type="checkbox"/> Over head: ____ mm				

NOTE :



WE
RISE
TOGETHER



ARESFORTI
ELEVATOR



Headquarter

📍 Aydınlı Sb Mah. Matras Cad. Kopuzlar Binası - No: 3

İç Kapı No: B03 Tuzla / İstanbul

☎ +90 332 821 10 50 | 📞 +90 542 328 28 99

🌐 www.aresforti.com | ✉ sales@aresforti.com